



Go to [VARIAC.com](http://VARIAC.com)  
to purchase and for  
technical support.  
Made in the USA



MOTOR CIRCUIT  
120V, 50/60 HZ  
\* ROTATION AS VIEWED  
FROM MOTOR END  
MOTOR SPEED: SEE CHART

SPEED (SECONDS)	TYPE NUMBER
5	5M2510CT-3
15	15M2510CT-3
30	30M2510CT-3
60	60M2510CT-3



- NOTES:
- ++ LINE TO LINE VOLTAGE.
  - \*\* REQUIRES THREE 51LAC PARALLELING CHOKE (NOT SUPPLIED).
  - π IF GANGED UNITS ARE USED IN A SYSTEM THAT ORDINARILY HAS A COMMON NEUTRAL OR GROUND BETWEEN SOURCE AND LOAD, THE NEUTRAL OR GROUND MUST BE CONNECTED TO THE COMMON TERMINALS OF THE VARIABLE TRANSFORMER ASSEMBLY. IF THE SYSTEM HAS NO NEUTRAL, THE LOAD MUST BE BALANCED OR THE TRANSFORMER WILL BE DAMAGED.
  - JUMPER PROVIDED IN STANDARD COMMON POSITION AND SHOULD BE MOVED OR REMOVED AS REQUIRED.
  - + MOTOR DRIVEN UNITS USE TERMINAL CONNECTIONS FOR CCW INCREASING VOLTAGE, AS VIEWED FROM THE BASE END.

SPECIFICATIONS											
WIRING	INPUT		OUTPUT				SHAFT ROTATION TO INCREASE VOLTAGE	TERMINAL CONNECTIONS +			
	VOLTS	HERTZ	VOLTS	CONSTANT CURRENT LOAD MAX. AMPS	CONSTANT IMPEDANCE LOAD MAX. KVA	MAX. AMPS		MAX. KVA	FOR INCREASING VOLTAGE AS VIEWED FROM BASE END ■		
SINGLE PHASE PARALLEL **	120	50/60	0-120	75	9.00	90	10.8	CW	2-2-2, 4-4-4	—	4-D
			0-140	75	10.50	—	—	CCW	2-2-2, 4-4-4	—	2-D
THREE PHASE WYE π	240	50/60	0-240	25	10.40	30	12.5	CW	2-2-2	4-4-4	3-3-3
			0-280	25	12.10	—	—	CCW	4-4-4	2-2-2	3-3-3
	++	60	0-240	25	12.10	—	—	CW	1-1-1	4-4-4	3-3-3
			0-280	25	12.10	—	—	CCW	5-5-5	2-2-2	3-3-3

UNLESS OTHERWISE SPECIFIED, TOLERANCE IS \* DECIMALS HOLES ANGLES DRAFT .XX .0000 .01 1° 1-1/2°

MATERIAL: ALL DIMENSIONS APPLY AFTER PLATING

TITLE: SPEC. CONTROL DRAWING  
MOTORIZED VARIABLE XFMR.  
TYPE: M2510CT-3

STACO ENERGY PRODUCTS CO.  
A COMPONENTS CORPORATION OF AMERICA COMPANY  
DAYTON, OHIO U.S.A.

DRAWN BY: RAU DATE: 3/6/00 FIRST USED ON: DO NOT SCALE DWG. CUSTOMER APPROVAL: DATE:

CHECKER: DATE: WEIGHT APPROX. 78 LBS. CODE IDENT. NO. 83008 DWG. NO. 031-5322

ENGINEER: DATE: SCALE .50=1 SHEET 1 OF 1